

Declared unit:

Ourhood
without accessories
by HOLMRIS B8



The total estimated climate emission
3450 kg CO₂-e

This result lies within the below range of outcomes:

Best case: **2980 KG CO₂eq** **-14%**

Worst case: **3660 KG CO₂eq** **+6%**

This **LCA-screening** is based on the **PEF-method (Product Environmental Footprint)** by **The European Commission**, see the **DISCLAIMER** for its relationships to other environmental accounting methods and guidance documents.

Verification:

All components used in this product-screening has been verified by MÅLBAR, and is thereby suitable for B2B communication as well as for company reporting (GHG, CSRD).

01-05-2025

Owner of this declaration:

HOLMRIS B8 A/S
Odinsvej 5
8850 Bjerringbro
Denmark

Software provider for this LCA:

MÅLBAR

DISCLAIMER

Standard for calculation

This climate footprint report is calculated according to EUs rules for Product Environmental Footprint (PEF). When data was not available from the brand-owner, conservative estimates has been applied. All phases of the product lifecycle are included in the calculation. For the phases after factory-gate; Use Phase and Disposal conservative estimates are applied, build from the PEF rules. Specifically, the Disposal part is calculated based on an EU average. This declaration only focus on Climate Impact.

The data sources behind these calculations are: **EcoInvent 3.8** and **EF 3.0 PEF** data as well as **PEF compliant LCA data**. (read more here: www.maalbar.dk/transparency/)

Relationship to other methods and standards

Each requirement specified in the PEF method is developed taking into consideration the recommendations of similar, widely recognised product environmental accounting methods and guidance documents. Specifically, the methodological guides considered are:

(a) EN ISO 14040:2006	(i) CEN ISO/TS 14071:2016	(q) ENVIFOOD Protocol
(b) EN ISO 14044:2006	(j) ISO 17024:2012	(r) FAO:2016.
(c) EN ISO 14067:2018	(k) PEF Guide	
(d) ISO 14046:2014	(l) ILCD	
(e) EN ISO 14020:2001	(m) Ecological Footprint Standards	
(f) EN ISO 14021:2016	(n) Greenhouse Gas Protocol	
(g) EN ISO 14025:2010	(o) BP X30-323-0:2015	
(h) ISO 14050:2020	(p) PAS 2050:2011	

Method of data application

This report is generated by using MÅLBAR's Climate Screening Tool with the brand-owner firstly performing a self-assessment afterwards going through the VERIFICATION Process in Målbar. (Read more here: www.maalbar.dk/verification/). This is not a 3rd party verification.

Communication of results

The results in this report, is not intended for communication towards the private consumer but only for Professional customers. As of todays date (the date of **VERIFICATION**) we are awaiting clear instructions from the Consumer Protection Authorities within Europe, until these are clarified Målbar does not recommend for this report to be used for communication towards the private customer.

Responsibility of data

It is the sole responsibility of the Brand Owner concerning all Input data (including: Material weights, Packaging weight and dimensions, Origins of production, origins of material, Transport information and Warehouse and Retail information). With the verification of this report, Målbar has manually controlled these data towards the normal-field of data for this product type and questioned the Brand Owner for outliers before completing this report.

Validity of report

The results of this report is valid for 1 year from the report date.


Software version

v. 2.9700

LIFE CYCLE ASSESSMENT STAGES

This complete LCA-screening (cradle-to-grave) includes the total climate impact (KG CO₂e) for the full life-cycle of the Declared unit.

All life-cycle stages have been declared, and can be viewed in the below table and related visualisation



Stage	Climate impact
Raw Material aquisition & Pre-processing	1592,78 KG CO ₂ eq
Manufacturing	843,47 KG CO ₂ eq
Distribution	199,27 KG CO ₂ eq
Use	106,37 KG CO ₂ eq
End of life	708,11 KG CO ₂ eq
TOTAL	3449,98 KG CO ₂ eq

Material group representation and their climate emissions*

Presented below are the different material groups in the product and their estimated contribution to the products total emissions as well as a presentation of the material breakdown with Recycle shares and share of "Design for Disassembly" in the product.

Material Group	Total impact*	Total material weight
Solid Wood	124,37 kg CO ₂ eq	58,86 Kg
Wood based board	1196,85 kg CO ₂ eq	555,87 Kg
Metal	157,84 kg CO ₂ eq	35,70 Kg
Plastic	505,34 kg CO ₂ eq	66,87 Kg
Glass / Stone / Ceramics	170,58 kg CO ₂ eq	102,92 Kg
Surface finish & chemicals	69,52 kg CO ₂ eq	1,83 Kg
Upholstery	66,72 kg CO ₂ eq	9,22 Kg
Cover	61,99 kg CO ₂ eq	10,99 Kg
Electronic components	41,48 kg CO ₂ eq	1,03 Kg
Packaging	676,95 kg CO ₂ eq	213,59 Kg
Transport & logistics	199,27 kg CO ₂ eq	
TOTAL (incl packaging)		1056,87 Kg
TOTAL (excl. Packaging)		843,28 Kg

**) The values presented here, is total emission pr material group (incl. material, production, material-transport and waste)*

Specific material element emissions*

Below is an overview of the emission of the most emitting elements in the product. Each element is visually divided between the emission from the amount of material in the product and it's associated waste-emission. Included are the material and production waste with production processes, transportation and disposal scenarios. This gives an overview of each specific material versus waste.

Element	Total impact
Ourhood - component	3363,27 kg CO₂eq
Transport	86,71 kg CO₂eq

*) The values presented here, is total emission pr element (incl. Material, production, transport, Waste)



Transport emissions of final product

Product transportation can be seen below, divided into the different transport legs, correlating with the route of the final product. PLEASE NOTE, that all upstream transport-emissions are not presented here, yet included in the total emission for the product.

Element	Total impact
Warehouse - Customer	65,69 kg CO₂eq
Supplier - warehouse	21,02 kg CO₂eq

*) The PEF default transport is applied for all unspecified transport

DATA QUALIFICATION

This LCA-screening is based on user-input data from the brand owner, along with average data in conformity with PEF. Where no user-input have been applied, conservative assumptions have been created.

Assumptions may include:

- Origin of Materials
- Origin of component production
- Additional material information (e.g. for textiles: D-tex values and treatment processes)
- Any Recycled or certified Sustainable content in each material is only included when sufficient documentation has been provided.
- Production waste amounts and handling of such.
- Transportation types and distances
- Waste handling of the product at end-of-life (EU average data)

It is possible for the Brand-owner to apply company specific data on a material or component-production by "onboarding" each individual production site into the system. This is referred to as primary process data and can cover a certain percentage of the total production-stage and part of the material-stage.

For this specific product:

0 % primary process data have been applied

100 % average process data have been applied

HOLMRIS B8

Owner of the declaration:

HOLMRIS B8 A/S
Odinsvej 5
8850 Bjerringbro
Denmark

Software used for the LCA:

Målbar ApS
Nørre Voldgade 6, 2.
1358 København K
Denmark